

---

# CS380: Computer Graphics

# 2D Imaging and Transformation

---

**Sung-Eui Yoon**  
(윤성의)

**Course URL:**  
<http://sgvr.kaist.ac.kr/~sungeui/CG>



# Announcements

---

- **Lab class (video) related to OpenGL and PA sometime before the PA1 deadline**
  - **Check KLMS regularly**

# Tentative Schedule

---

- **About 13 talks and zoom sessions**
- **Apr-17 (Wed): 13:00~15:45, mid-term exam**
- **About 3 talks and zoom session**
- **May 1, 8, 13: SOTA talks on Nerf, denoising, diffusion by TAs**
- **May 20, 22, 27: Student lecture presentation and quiz**
- **May 29, Jul, 3, 5: Paper presentation and quiz**
- **Jul, 10, 12 Reserved (final exam)**



# Class Objectives

---

- **Write down simple 2D transformation matrixes**
  - **Understand the homogeneous coordinates and its benefits**
- **Know OpenGL-transformation related API**
  - **Implement idle-based animation method**
- **Covered in 3.2 2D Transformation of my book**
  
- **At last time:**
  - **Viewport transformation from world spaces to screen spaces w/ Julia set and some OpenGL**

# 2D Geometric Transforms

- **Functions to map points from one place to another**
- **Geometric transforms can be applied to**
  - **Drawing primitives (points, lines, conics, triangles)**
  - **Pixel coordinates of an image**



**Demo**

# Translation

---

- **Translations have the following form:**

$$\begin{aligned} \mathbf{x}' &= \mathbf{x} + \mathbf{t}_x \\ \mathbf{y}' &= \mathbf{y} + \mathbf{t}_y \end{aligned} \quad \begin{bmatrix} \mathbf{x}' \\ \mathbf{y}' \end{bmatrix} = \begin{bmatrix} \mathbf{x} \\ \mathbf{y} \end{bmatrix} + \begin{bmatrix} \mathbf{t}_x \\ \mathbf{t}_y \end{bmatrix}$$

- ***inverse function*: undoes the translation:**

$$\begin{aligned} \mathbf{x} &= \mathbf{x}' - \mathbf{t}_x \\ \mathbf{y} &= \mathbf{y}' - \mathbf{t}_y \end{aligned}$$

- ***identity*: leaves every point unchanged**

$$\begin{aligned} \mathbf{x}' &= \mathbf{x} + \mathbf{0} \\ \mathbf{y}' &= \mathbf{y} + \mathbf{0} \end{aligned}$$

# 2D Rotations

---

- **Another group - rotation about the origin:**

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = R \begin{bmatrix} x \\ y \end{bmatrix}$$

$$R^{-1} = \begin{bmatrix} \cos \theta & \sin \theta \\ -\sin \theta & \cos \theta \end{bmatrix}$$


$$R_{\theta=0} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$$

# Rotations in Series

---

- **We want to rotate the object 30 degree and, then, 60 degree**

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos(60) & -\sin(60) \\ \sin(60) & \cos(60) \end{bmatrix} \begin{bmatrix} \cos(30) & -\sin(30) \\ \sin(30) & \cos(30) \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$




**We can merge  
multiple rotations into  
one rotation matrix**

$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos(90) & -\sin(90) \\ \sin(90) & \cos(90) \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix}$$



# Euclidean Transforms

- **Euclidean group**
  - Translations + rotations
  - Rigid body transforms
- **Properties:**
  - Preserve distances
  - Preserve angles
  - How do you represent these functions?



$$\begin{bmatrix} x' \\ y' \end{bmatrix} = \begin{bmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} t_x \\ t_y \end{bmatrix}$$

# Problems with this Form


---

- **Translation and rotation considered separately**
  - **Typically we perform a series of rotations and translations to place objects in world space**
  - **It's inconvenient and inefficient in the previous form**
  - **Inverse transform involves multiple steps**
- **How can we address it?**
  - **How can we represent the translation as a matrix multiplication?**


# Homogeneous Coordinates

---

- Consider our 2D plane as a subspace within 3D



$(x, y)$



$(x, y, z)$


# Matrix Multiplications and Homogeneous Coordinates

---

- Can use any planar subspace that does not contain the origin
- Assume our 2D space lies on the 3D plane  $z = 1$ 
  - Now we can express all Euclidean transforms in matrix form:

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} \cos \theta & -\sin \theta & t_x \\ \sin \theta & \cos \theta & t_y \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

# Scaling



- **S is a scaling factor**

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} S & 0 & 0 \\ 0 & S & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$


# Example: World Space to NDC

$$\frac{x_n - (-1)}{1 - (-1)} = \frac{x_w - (w.l)}{w.r - w.l}$$

$$x_n = 2 \frac{x_w - (w.l)}{w.r - w.l} - 1$$

$$x_n = Ax_w + B$$

$$A = \frac{2}{w.r - w.l}, \quad B = -\frac{w.r + w.l}{w.r - w.l}$$





# Example: World Space to NDC

- **Now, it can be accomplished via a matrix multiplication**
  - **Also, conceptually simple**

$$\begin{bmatrix} x_n \\ y_n \\ 1 \end{bmatrix} = \begin{bmatrix} \frac{2}{w.r - w.l} & 0 & -\frac{w.r + w.l}{w.r - w.l} \\ 0 & \frac{2}{w.t - w.b} & -\frac{w.t + w.b}{w.t - w.b} \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_w \\ y_w \\ 1 \end{bmatrix}$$

# Shearing


- Push things sideways
- Shear along x-axis
- Shear along y-axis






# Reflection

- Reflection about x-axis



- Reflection about y-axis




# Composition of 2D Transformation

- Quite common to apply more than one transformations to an object
  - E.g.,  $v_2 = Sv_1$ ,  $v_3 = Rv_2$ , where S and R are scaling and Rotation matrix


- Then, we can use the following representation:

- $v_3 = R(Sv_1)$  or
- $v_3 = (RS)v_1$
- why?  
(associative)



# Transformation Order

- Order of transforms is very important
  - Why?



# Affine Transformations

---

- **Transformed points  $(x', y')$  have the following form:**

$$\begin{bmatrix} x' \\ y' \\ 1 \end{bmatrix} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ 1 \end{bmatrix}$$

- **Combinations of translations, rotations, scaling, reflection, shears**
- **Properties**
  - **Parallel lines are preserved**
  - **Finite points map to finite points**

# Rigid-Body Transforms in OpenGL

---

`glTranslate (tx, ty, tz);`

`glRotate (angleInDegrees, axisX, axisY, axisZ);`


`glScale(sx, sy, sz);`

OpenGL uses matrix format internally.

- glm (Ver. 4.3) stands for OpenGL Mathematics

# OpenGL Example – Rectangle Animation (double.c)

---



Demo

# Main Display Function

---

```
void display(void)            $M_I$  : initial matrix
{
    glClear(GL_COLOR_BUFFER_BIT);

    glPushMatrix();
    glRotatef(spin, 0.0, 0.0, 1.0);    $M_R$ 
    glColor3f(1.0, 1.0, 1.0);
    glRectf(-25.0, -25.0, 25.0, 25.0);  $v$ 
    glPopMatrix();              $M_I$ 

    glutSwapBuffers();
}
```



# Frame Buffer

---

- **Contains an image for the final visualization**
- **Color buffer, depth buffer, etc.**
  
- **Buffer initialization**
  - `glClear(GL_COLOR_BUFFER_BIT);`
  - `glClearColor(..);`
- **Buffer creation**
  - `glutInitDisplayMode (GLUT_DOUBLE | GLUT_RGB);`
- **Buffer swap**
  - `glutSwapBuffers();`



# Matrix Stacks

---

- **OpenGL maintains matrix stacks**
  - Provides pop and push operations
  - Convenient for transformation operations
- **glMatrixMode()** sets the current stack
  - **GL\_MODELVIEW, GL\_PROJECTION, or GL\_TEXTURE**
- **glPushMatrix()** and **glPopMatrix()** are used to manipulate the stacks

# OpenGL Matrix Operations

---

`glTranslate(tx, ty, tz)`

`glRotate(angleInDegrees, axisX, axisY, axisZ)`

`glMultMatrix(*arrayOf16InColumnMajorOrder)`

**Concatenate  
with the  
current matrix**

`glLoadMatrix (*arrayOf16InColumnMajorOrder)`

`glLoadIdentity()`

**Overwrite the  
current matrix**

# Matrix Specification in OpenGL

---

- **Column-major ordering**

$$M = \begin{bmatrix} m_1 & m_5 & m_9 & m_{13} \\ m_2 & m_6 & m_{10} & m_{14} \\ m_3 & m_7 & m_{11} & m_{15} \\ m_4 & m_8 & m_{12} & m_{16} \end{bmatrix}$$

- **Reverse to the typical C-convention (e.g.,  $m[i][j]$  : row  $i$  & column  $j$ )**
  - **Better to declare  $m$  [16]**
- 
- **Also, `glLoadTransportMatrix*()` & `glMultTransposeMatrix*()` are available**

# Animation

---

- **It consists of “redraw” and “swap”**
- **It’s desirable to provide more than 30 frames per second (fps) for interactive applications**
- **We will look at an animation example based on idle-callback function**

# Idle-based Animation

---

```
void mouse(int button, int state, int x, int y)
{
    switch (button) {
        case GLUT_LEFT_BUTTON:
            if (state == GLUT_DOWN)
                glutIdleFunc (spinDisplay);
            break;
        case GLUT_RIGHT_BUTTON:
            if (state == GLUT_DOWN)
                glutIdleFunc (NULL);
            break;
    }
}
```

**Chatgpt: Animation with callback functions can also be used in Android applications (OpenGL ES)**  
**Yoon: checked w/ google search**

```
void spinDisplay(void)
{
    spin = spin + 2.0;
    if (spin > 360.0)
        spin = spin - 360.0;
    glutPostRedisplay();
}
```

# Class Objectives were:

---

- **Write down simple 2D transformation matrixes**
- **Understand the homogeneous coordinates and its benefits**
- **Know OpenGL-transformation related API**
- **Implement idle-based animation method**

# Homework

---

- **Go over the next lecture slides before the class**
- **Watch 2 SIGGRAPH videos and submit your summaries before every Mon. class**
  - **Submit online**
  - **Just one paragraph for each summary**

## Example:

**Title: XXX XXXX XXXX**

**Abstract: this video is about accelerating the performance of ray tracing. To achieve its goal, they design a new technique for reordering rays, since by doing so, they can improve the ray coherence and thus improve the overall performance.**

# Any Questions?

---

- **Come up with one question on what we have discussed in the class and submit at the end of the class**
  - **1 for already answered or typical questions**
  - **2 for questions with thoughts or that surprised me**
  
- **Submit 2 times during the whole semester**



# Next Time

---

- **3D transformations**